



PERFORMANCE ELECTRONICS

Crank/Cam Extension, AEM EPM 35" User Manual 30-3805-19

**THIS PRODUCT IS LEGAL IN CALIFORNIA FOR RACING VEHICLES ONLY
AND SHOULD NEVER BE USED ON PUBLIC HIGHWAYS.**

WARNING:



WARNING:

This installation is not for the tuning novice! Use this system with **EXTREME** caution! If you are not well versed in engine dynamics and the tuning of engine management systems **DO NOT** attempt the installation. Refer the installation to an AEM trained tuning shop. A list of AEM trained tuning shops is available at www.aemelectronics.com/dealer_locator.php or by calling 800-423-0046.

NOTE: All supplied AEM calibrations, Wizards and other tuning information are offered as potential starting points only. **IT IS THE RESPONSIBILITY OF THE ENGINE TUNER TO ULTIMATELY CONFIRM THE CALIBRATION IS SAFE FOR ITS INTENDED USE.** AEM holds no responsibility for any engine damage that results from the misuse or mistuning of this product!

AEM Performance Electronics
AEM Performance Electronics, 2205 126th Street Unit A, Hawthorne, CA 90250
Phone: (310) 484-2322 Fax: (310) 484-0152
<http://www.aemelectronics.com>
Instruction Part Number: 10-3805-19
Document Build 9/10/2015

3805-19 Kit Contents

AEM P/N	Description	Qty
36-3805-19	Crank/Cam Extension, AEM EPM 35"	1
10-3805-19	Instruction Sheet	1



3805-19 EPM Sub Harness, 35" Pinout

C1				DTMPlug, 12 Way
Pin	Wire Color	Gauge	Destination	Crank/Cam
			1	
1	White	22	C2-1	Crank Position Sensor (Hall Effect)
2	Black	22	C2-2	AGND_1 (Analog Sensor Ground)
3	Green	22	C2-3	Camshaft Position Sensor 1 (Hall Effect)
4	Red	22	C2-4	Fused +12V Relay Power
5				
6				
7				
8				
9				
10				
11	BLK	22	Shield	Shield Ground
12				

C2				DTMPlug, 4 Way
Pin	Wire Color	Gauge	Destination	AEM EPM
			1	
1	White	22	C1-1	Crank Position Sensor (Hall Effect)
2	Black	22	C1-2	AGND_1 (Analog Sensor Ground)
3	Green	22	C1-3	Camshaft Position Sensor 1 (Hall Effect)
4	Red	22	C1-4	Fused +12V Relay Power